


ORBIT[®]




 **Domintell**

NO LIGHTBUS



WITH LIGHTBUS





Thanks to the LightBus technology created by Domintell, all ORBIT design lighting solutions become smart and dimmable.


Take full control over your lights. Control them individually or as groups and set the right atmospheres at the right times with smooth dimming curves.

The LightBus technology offers a complete light automation experience and simpler wiring for a price equivalent to traditional electrical solutions.

Detailed features

- › Quality LED dimming: **smooth curve** from 1 to 100% (similar to the dimming quality of an halogen lamp)
- › **DDIMLV** low voltage lighting control module (in the electrical box) and a **DLB** driver (behind each lighting point)
- › The lighting points are **all dimmable** individually and **groupable** via the Domintell software
- › Home automation solution with a **price equivalent** to a traditional electrical solution (labor and equipment included), while benefiting from the perks of the **upgradability** of home automation as well as the « **Smart** » dimension
- › Wiring:
 - **Lighting bus**, connecting all lighting points of the installation
 - Cable length considerably reduced, saving significant **installation time**
 - **Specific** cable quality
 - **Low voltage** (< 50Vdc)
 - › **Safe**, less official regulation constraints
 - › No distinction between **wet/dry areas** (except insulation envelopes 0 and 1)
 - Two cables for a whole automated installation: a **green bus** (RS485) for the commands and a **blue bus** for the lighting
- › **Simplified electrical box** without relays and/or dimmers as in classic lighting installations (replaced by the **DDIMLV** and 48 V **power supply(ies)**; only **two circuit breakers** necessary)
- › **Total** control of the electronics of the lighting solution
- › Possibility to **prepare** the cables in our workshop
- › **Industrial** quality, **long-lasting** LED lamps (non-retrofit)

RECESSED



Modern Bathroom
Architect Noémi Van Heuverswyn
Photography by Annick Vernimmen



BS83001B CL8_24WW



Borderline
ceiling / recessed



1x COB LED max800lm 2700k

no flicker

A A+ A++



WH	24° 10W	BS83001DO CL8_24 WW € 71,6
BLK	24° 10W	BS83002DO CL8_24 WW € 71,6
GR	24° 10W	BS83003DO CL8_24 WW € 71,6

HONEYCOMB D50	BS0298 € 16,5
SQUARE OPTIC LENS	BS0383 € 18,9
LINEAR SPREAD LENS	BS0384 € 18,9
PLASTER KIT	BS2000 € 10,6

ALTERNATIVE LIGHT COLOUR		REPLACE WW BY	
WARM WHITE	2700K	WW	
NEUTRAL WHITE	3000K	NW	
COLD WHITE	4000K	CW	
DIM TO WARM	2200K-3000K	DW	+ € 25,0



! 15° or 38° or 60° beam angle on request > ref=..._15 or ..._38 or..._60



WWW.ORBIT-LIGHTING.COM



BS82011B CL8_24WW



BS82012B CL8_24WW

Borderline swift


ceiling / recessed




1x COB LED max800lm 2700k

no flicker

A A⁺ A⁺⁺



Ø 81



WH	24°	10W	BS82011DO CL8_24 WW	€ 74,0
BLK	24°	10W	BS82012DO CL8_24 WW	€ 74,0
GR	24°	10W	BS82013DO CL8_24 WW	€ 74,0
CHR	24°	10W	BS82015DO CL8_24 WW	€ 78,3

HONEYCOMB D50	BS0298	€ 16,5
SQUARE OPTIC LENS	BS0383	€ 18,9
LINEAR SPREAD LENS	BS0384	€ 18,9
PLASTER KIT	BS2000	€ 10,6

ALTERNATIVE LIGHT COLOUR

WARM WHITE	2700K
NEUTRAL WHITE	3000K
COLD WHITE	4000K
DIM TO WARM	2200K-3000K

REPLACE WW BY

WW
NW
CW
DW + € 25,0



! 15° or 38° or 60° beam angle on request > ref=..._15 or ..._38 or ..._60





BS82141B CL8_24WW

Borderline bathroom

ceiling / recessed




1x COB LED max800lm 2700k



A A⁺ A⁺⁺



Ø 86



WH	24°	10W		BS82141DO CL8_24 WW	€ 93,1
BLK	24°	10W		BS82142DO CL8_24 WW	€ 93,1
CHR	24°	10W		BS82145DO CL8_24 WW	€ 93,1

HONEYCOMB D50	BS0298	€ 16,5
SQUARE OPTIC LENS	BS0383	€ 18,9
LINEAR SPREAD LENS	BS0384	€ 18,9

ALTERNATIVE LIGHT COLOUR		REPLACE WW BY	
WARM WHITE	2700K	WW	
NEUTRAL WHITE	3000K	NW	
COLD WHITE	4000K	CW	
DIM TO WARM	2200K-3000K	DW	+ € 14,0

! 15° or 38° or 60° beam angle on request > ref=..._15 or ..._38 or..._60







BS82171 CL7_30WW





Cone round
ceiling / recessed

1x CONE COB LED max700lm 2700k

no flicker

A A⁺ A⁺⁺



WH	30° 7W	BS82171DO CL7_30 WW	€ 68,8
BLK	30° 7W	BS82172DO CL7_30 WW	€ 68,8
GR	30° 7W	BS82173DO CL7_30 WW	€ 71,2

ALTERNATIVE LIGHT COLOUR

WARM WHITE	2700K
NEUTRAL WHITE	3000K

REPLACE WW BY

WW
NW

! Driver specs: 350mA, Forward Voltage 17,4V





BS82181 CL7_30WW

Cone swift

ceiling / recessed

1x CONE COB LED max700lm 2700k

no flickr

A A+ A++

55



Ø104



WH	30°	7W		BS82181DO CL7_30	WW	€ 68,8
BLK	30°	7W		BS82182DO CL7_30	WW	€ 68,8

CRI	SDCM	SO
80+	< 3	630lm

ALTERNATIVE LIGHT COLOUR		REPLACE WW BY
WARM WHITE	2700K	WW
NEUTRAL WHITE	3000K	NW

! Driver specs: 350mA, Forward Voltage 17,4V





BS82192 CL7_30WW



BS82191 CL7_30WW





Cone square

ceiling / recessed

1x CONE COB LED max700lm 2700k

no flicker

A A⁺ A⁺⁺



WH	30°	7W		BS82191DO CL7_30 WW	€ 68,8
BLK	30°	7W		BS82192DO CL7_30 WW	€ 68,8

ALTERNATIVE LIGHT COLOUR

WARM WHITE	2700K
NEUTRAL WHITE	3000K

REPLACE WW BY

WW
NW

! Driver specs: 350mA, Forward Voltage 17,4V





BS83272B CL8_24WW


Fox
ceiling / recessed



1x COB LED max800lm 2700k

no flicker

A A⁺ A⁺⁺



WH	[24°]	10W		BS83271DO CL8_24 WW		€ 61,7
BLK	[24°]	10W		BS83272DO CL8_24 WW		€ 61,7
GR	[24°]	10W		BS83273DO CL8_24 WW		€ 61,7
ALU BR	[24°]	10W		BS83276DO CL8_24 WW		€ 73,6
GLD	[24°]	10W		BS83274DO CL8_24 WW		€ 73,6

HONEYCOMB D50	BS0298		€ 16,5
SQUARE OPTIC LENS	BS0383		€ 18,9
LINEAR SPREAD LENS	BS0384		€ 18,9


ALTERNATIVE LIGHT COLOUR		REPLACE WW BY	
WARM WHITE	2700K	WW	
NEUTRAL WHITE	3000K	NW	
COLD WHITE	4000K	CW	
DIM TO WARM	2200K-3000K	DW	+ € 25,0



! 15° or 38° or 60° beam angle on request > ref=..._15 or ..._38 or..._60



BS86038-1A CL6_30NW




BS86038-2A CL6_30NW

6038 series

ceiling / recessed

1x COB LED max600lm 3000k

A A⁺ A⁺⁺



WH	30°	7W		BS86038-1A CL6_30 NW	€ 12,5
BLK	30°	7W		BS86038-2A CL6_30 NW	€ 12,5





BS92321D CL20_24NW


Small hide

ceiling / recessed


1x COB LED max2500lm 3000k

no flicker


A A+ A++



Ø 140



WH	24°	18W	BS92321DO CL20_24	NW	€ 203,9
BLK	24°	18W	BS92322DO CL20_24	NW	€ 203,9
WH	40°	18W	BS92321DO CL20_40	NW	€ 203,9
BLK	40°	18W	BS92322DO CL20_40	NW	€ 203,9



ALTERNATIVE LIGHT COLOUR

WARM WHITE	2700K
NEUTRAL WHITE	3000K
MEDIUM WHITE	3500K
COLD WHITE	4000K
DIM TO WARM	2200K-3000K

REPLACE NW BY

WW
NW
MW
CW
DW

+ € 25,0

! CRI 80+ available on request > change ref BS9...to BS8...
! COB specials on request (CrispWhite, food, ...)



NIK & NIK

STYLED IN AMSTERDAM

NIK & NIK
STYLED IN AMSTERDAM

*Drama
queen*



SURFACE MOUNTED



BB82371-2F CL7_30WW


Border up

ceiling / surface mounted


1x CONE COB LED max700lm 2700k

no flicker

A A⁺ A⁺⁺



WH/WH	[30°]	7W	BB82371DO CL7_30 WW	€ 149,4
WH/BLK	[30°]	7W	BB82371-2DO CL7_30 WW	€ 149,4
BLK/BLK	[30°]	7W	BB82372DO CL7_30 WW	€ 149,4
BLK/WH	[30°]	7W	BB82372-1DO CL7_30 WW	€ 149,4



ALTERNATIVE LIGHT COLOUR
WARM WHITE 2700K
NEUTRAL WHITE 3000K

REPLACE WW BY
WW
NW





BB96301C CL7_30WW


Dooz

ceiling / surface mounted

1x COB LED max700lm 2700k

no flicker

A A⁺ A⁺⁺



WH/WH	[30°]	9W	BB96301DO CL7_30 WW	€ 180,2
WH/BLK	[30°]	9W	BB96301-2DO CL7_30 WW	€ 180,2
WH/GLD	[30°]	9W	BB96301-4DO CL7_30 WW	€ 187,3
BLK/BLK	[30°]	9W	BB96302DO CL7_30 WW	€ 180,2
BLK/WH	[30°]	9W	BB96302-1DO CL7_30 WW	€ 180,2
BLK/GLD	[30°]	9W	BB96302-4DO CL7_30 WW	€ 187,3



ALTERNATIVE LIGHT COLOUR

WARM WHITE	2700K
NEUTRAL WHITE	3000K


REPLACE WW BY

WW
NW

2x COB LED max700lm 2700k

no flicker

A A⁺ A⁺⁺



WH/WH	[30°]	2x 9W	BB96321DO CL7_30 WW	€ 362,7
WH/BLK	[30°]	2x 9W	BB96321-2DO CL7_30 WW	€ 362,7
WH/GLD	[30°]	2x 9W	BB96321-4DO CL7_30 WW	€ 367,5
BLK/BLK	[30°]	2x 9W	BB96322DO CL7_30 WW	€ 362,7
BLK/WH	[30°]	2x 9W	BB96322-1DO CL7_30 WW	€ 362,7
BLK/GLD	[30°]	2x 9W	BB96322-4DO CL7_30 WW	€ 367,5



ALTERNATIVE LIGHT COLOUR

WARM WHITE	2700K
NEUTRAL WHITE	3000K

REPLACE WW BY

WW
NW




BB96312C CL7_30WW

Dooz outdoor
 ceiling / surface mounted

1x COB LED max700lm 2700k

no
flicker

A A⁺ A⁺⁺




BLK/BLK | 30° | 9W | BB96312DO CL7_30 WW | € 234,7

ALTERNATIVE LIGHT COLOUR

WARM WHITE | 2700K
 NEUTRAL WHITE | 3000K

REPLACE WW BY

WW
 NW





BB92441D CL20_24NW



BB92441-2D CL20_24NW

Edgeline up


ceiling / surface mounted



1x COB LED max2400lm 3000k



A A⁺ A⁺⁺



WH/WH	24°	18W	BB92441A CL20_24 NW	€ 251,3
WH/BLK	24°	18W	BB92441-2A CL20_24 NW	€ 251,3
WH/DKC	24°	18W	BB92441-5A CL20_24 NW	€ 292,8
BLK/BLK	24°	18W	BB92442A CL20_24 NW	€ 251,3
BLK/WH	24°	18W	BB92442-1A CL20_24 NW	€ 251,3
BLK/DKC	24°	18W	BB92442-5A CL20_24 NW	€ 292,8

HONEYCOMB D76 BS0296 | € 23,7

ALTERNATIVE LIGHT COLOUR

WARM WHITE	2700K
NEUTRAL WHITE	3000K
MEDIUM WHITE	3500K
COLD WHITE	4000K
DIM TO WARM	2200K-3000K

REPLACE NW BY

WW
NW
MW
CW
DW + € 25,0



! 40° beam angle on request > ref=../40

! CRI 80+ available on request > change ref BS9...to BS8...

! COB specials on request (CrispWhite, food, ...)



BB865104F CL7_30WW



FO965101A CL8_24WW

Piccolo look out


ceiling / surface mounted



1x CONE COB LED max700lm 2700k



A A+ A++



WH/WH	30°	7W	BB865101DO CL7_30 WW	€ 217,4
WH/BLK	30°	7W	BB865104DO CL7_30 WW	€ 221,0
BLK/BLK	30°	7W	BB865102DO CL7_30 WW	€ 217,4
WH/BLK/WH	30°	7W	BB865101-2-1DO CL7_30 WW	€ 221,0

ALTERNATIVE LIGHT COLOUR

WARM WHITE	2700K
NEUTRAL WHITE	3000K

REPLACE WW BY


WW
NW



1x COB LED max1500lm 3000k



A A+ A++



WH/WH	30°	11W	BB965101DO CL12_30 NW	€ 252,2
WH/BLK	30°	11W	BB965104DO CL12_30 NW	€ 255,8
BLK/BLK	30°	11W	BB965102DO CL12_30 NW	€ 252,2
WH/BLK/WH	30°	11W	BB96510121DO CL12_30 NW	€ 255,8

HONEYCOMB D70


BS0297 | € 18,9

ALTERNATIVE LIGHT COLOUR

WARM WHITE	2700K
NEUTRAL WHITE	3000K
MEDIUM WHITE	3500K
COLD WHITE	4000K
DIM TO WARM	2200K-3000K

REPLACE NW BY

WW
NW
MW
CW
DW | +€ 25,0




! 15° beam angle on request > ref= ..._15

1x CONE COB LED max800lm 2700k



A A+ A++



WH/WH	24°	10W	FO965101DO CL8_24 WW	€ 226,5
WH/BLK	24°	10W	FO965104DO CL8_24 WW	€ 230,2
WH/BLK/GLD	24°	10W	FO965101-2-4DO CL8_24 WW	€ 247,3
WH/BLK/DKC	24°	10W	FO965101-2-5DO CL8_24 WW	€ 247,3
WH/GLD	24°	10W	FO965101-4DO CL8_24 WW	€ 243,6
WH/DKC	24°	10W	FO965101-5DO CL8_24 WW	€ 243,6
BLK/BLK	24°	10W	FO965102DO CL8_24 WW	€ 226,5
BLK/GLD	24°	10W	FO965102-4DO CL8_24 WW	€ 243,6
BLK/DKC	24°	10W	FO965102-5DO CL8_24 WW	€ 243,6
WH/BLK/WH	24°	10W	FO965101-2-1DO CL8_24 WW	€ 230,2

HONEYCOMB D50
SQUARE OPTIC LENS
LINEAR SPREAD LENS

BS0298	€ 16,5
BS0383	€ 18,9
BS0384	€ 18,9

ALTERNATIVE LIGHT COLOUR

WARM WHITE	2700K
NEUTRAL WHITE	3000K
COLD WHITE	4000K

REPLACE WW BY

WW
NW
CW



! 15° or 38° or 60° beam angle on request > ref=..._15 or ..._38 or ..._60

WWW.ORB-LIGHTING.COM



BB865131F CL7_30WW



FO965131C CL8_24WW

Piccolo look out


ceiling / surface mounted



2x CONE COB LED max700lm 2700k



A A⁺ A⁺⁺



WH/WH	30°	2x 7W	BB865131DO CL7_30 WW	€ 354,7
WH/BLK	30°	2x 7W	BB865134DO CL7_30 WW	€ 358,3
BLK/BLK	30°	2x 7W	BB865132DO CL7_30 WW	€ 354,7
WH/BLK/WH	30°	2x 7W	BB865131-2-1DO CL7_30 WW	€ 358,3

ALTERNATIVE LIGHT COLOUR

WARM WHITE	2700K
NEUTRAL WHITE	3000K

REPLACE WW BY


WW
NW



2x COB LED max1500lm 3000k



A A⁺ A⁺⁺



WH/WH	30°	2x 11W	BB965131DO CL12_30 NW	€ 429,2
WH/BLK	30°	2x 11W	BB965134DO CL12_30 NW	€ 432,8
BLK/BLK	30°	2x 11W	BB965132DO CL12_30 NW	€ 429,2
WH/BLK/WH	30°	2x 11W	BB96513121DO CL12_30 NW	€ 432,8

HONEYCOMB D70

BS0297 | € 18,9

ALTERNATIVE LIGHT COLOUR

WARM WHITE	2700K
NEUTRAL WHITE	3000K
MEDIUM WHITE	3500K
COLD WHITE	4000K
DIM TO WARM	2200K-3000K

REPLACE NW BY

WW
NW
MW
CW
DW

€ 50,0




! 15° beam angle on request > ref= ..._15

2x CONE COB LED max800lm 2700k



A A⁺ A⁺⁺



WH/WH	24°	2x 10W	FO965131DO CL8_24 WW	€ 379,1
WH/BLK	24°	2x 10W	FO965134DO CL8_24 WW	€ 382,8
WH/BLK/GLD	24°	2x 10W	FO96513124DO CL8_24 WW	€ 416,9
WH/BLK/DKC	24°	2x 10W	FO96513125DO CL8_24 WW	€ 416,9
WH/GLD	24°	2x 10W	FO965131-4DO CL8_24 WW	€ 413,3
WH/DKC	24°	2x 10W	FO965131-5DO CL8_24 WW	€ 413,3
BLK/BLK	24°	2x 10W	FO965132DO CL8_24 WW	€ 379,1
BLK/GLD	24°	2x 10W	FO965132-4DO CL8_24 WW	€ 413,3
BLK/DKC	24°	2x 10W	FO965132-5DO CL8_24 WW	€ 413,3
WH/BLK/WH	24°	2x 10W	FO96513121DO CL8_24 WW	€ 382,8

HONEYCOMB D50
SQUARE OPTIC LENS
LINEAR SPREAD LENS

BS0298	€ 16,3
BS0383	€ 18,9
BS0384	€ 18,9

ALTERNATIVE LIGHT COLOUR

WARM WHITE	2700K
NEUTRAL WHITE	3000K
COLD WHITE	4000K

REPLACE WW BY

WW
NW
CW





BB865161F CL7_30WW



FO965161C CL8_24WW

Piccolo look out


ceiling / surface mounted



3x CONE COB LED max700lm 2700k



A A+ A++



WH/WH	30°	3x 7W	BB865161DO CL7_30 WW	€ 503,6
WH/BLK	30°	3x 7W	BB865164DO CL7_30 WW	€ 507,3
BLK/BLK	30°	3x 7W	BB865162DO CL7_30 WW	€ 503,6
WH/BLK/WH	30°	3x 7W	BB865161-2-1DO CL7_30 WW	€ 507,3

ALTERNATIVE LIGHT COLOUR

WARM WHITE	2700K
NEUTRAL WHITE	3000K

REPLACE WW BY


WW
NW



3x COB LED maxi500lm 3000k



A A+ A++



WH/WH	30°	3x 11W	BB965161DO CL12_30 NW	€ 612,2
WH/BLK	30°	3x 11W	BB965164DO CL12_30 NW	€ 613,9
BLK/BLK	30°	3x 11W	BB965162DO CL12_30 NW	€ 612,2
WH/BLK/WH	30°	3x 11W	BB96516121DO CL12_30 NW	€ 635,9

HONEYCOMB D70

BS0297 | € 18,9

ALTERNATIVE LIGHT COLOUR

WARM WHITE	2700K
NEUTRAL WHITE	3000K
MEDIUM WHITE	3500K
COLD WHITE	4000K
DIM TO WARM	2200K-3000K

REPLACE NW BY

WW
NW
MW
CW
DW | + € 25,0




! 15° beam angle on request > ref=15

3x CONE COB LED max800lm 2700k



A A+ A++



WH/WH	24°	3x 10W	FO965161DO CL8_24 WW	€ 539,0
WH/BLK	24°	3x 10W	FO965164DO CL8_24 WW	€ 542,7
WH/BLK/GLD	24°	3x 10W	FO96516124DO CL8_24 WW	€ 593,9
WH/BLK/DKC	24°	3x 10W	FO96516125DO CL8_24 WW	€ 593,9
WH/GLD	24°	3x 10W	FO965161-4DO CL8_24 WW	€ 590,3
WH/DKC	24°	3x 10W	FO965161-5DO CL8_24 WW	€ 550,3
BLK/BLK	24°	3x 10W	FO965162DO CL8_24 WW	€ 539,0
BLK/GLD	24°	3x 10W	FO965162-4DO CL8_24 WW	€ 590,3
BLK/DKC	24°	3x 10W	FO965162-5DO CL8_24 WW	€ 590,3
WH/BLK/WH	24°	3x 10W	FO96516121DO CL8_24 WW	€ 542,7

HONEYCOMB D50
SQUARE OPTIC LENS
LINEAR SPREAD LENS

BS0298	€ 16,5
BS0383	€ 18,9
BS0384	€ 18,9

ALTERNATIVE LIGHT COLOUR

WARM WHITE	2700K
NEUTRAL WHITE	3000K
COLD WHITE	4000K

REPLACE WW BY

WW
NW
CW



! 15° or 38° or 60° beam angle on request > ref=....15 or38 or....60





FO96520125C CL8_24WW



FO96520124C CL8_24WW

Piccolo look out


ceiling / surface mounted



4x CONE COB LED max700lm 2700k



A A⁺ A⁺⁺



WH/WH	30° 4x 7W	BB865201DO CL7_30 WW	€ 660,6
WH/BLK	30° 4x 7W	BB865204DO CL7_30 WW	€ 664,3
WH/BLK/WH	30° 4x 7W	BB865201-2-1DO CL7_30 WW	€ 664,3

ALTERNATIVE LIGHT COLOUR

WARM WHITE	2700K
NEUTRAL WHITE	3000K

REPLACE WW BY


WW
NW



4x COB LED max1500lm 3000k



A A⁺ A⁺⁺



WH/WH	30° 4x 10W	BB965201DO CL12_30 NW	€ 772,3
WH/BLK	30° 4x 10W	BB965204DO CL12_30 NW	€ 776,0
WH/BLK/WH	30° 4x 10W	BB96520121DO CL12_30 NW	€ 776,0

HONEYCOMB D70


BS0297 | € 18,9

ALTERNATIVE LIGHT COLOUR

WARM WHITE	2700K
NEUTRAL WHITE	3000K
MEDIUM WHITE	3500K
COLD WHITE	4000K
DIM TO WARM	2200K-3000K

REPLACE NW BY


WW
NW
MW
CW
DW | + € 100,0



4x CONE COB LED max800lm 2700k



A A⁺ A⁺⁺



WH/WH	24° 4x 10W	FO965201DO CL8_24 WW	€ 705,0
WH/BLK	24° 4x 10W	FO965204DO CL8_24 WW	€ 708,7
WH/BLK/GLD	24° 4x 10W	FO96520124DO CL8_24 WW	€ 777,2
WH/BLK/DKC	24° 4x 10W	FO96520125DO CL8_24 WW	€ 777,2
WH/GLD	24° 4x 10W	FO965201-4DO CL8_24 WW	€ 773,4
WH/DKC	24° 4x 10W	FO965201-5DO CL8_24 WW	€ 773,4
BLK/BLK	24° 4x 10W	FO965202DO CL8_24 WW	€ 705,0
BLK/GLD	24° 4x 10W	FO965202-4DO CL8_24 WW	€ 773,4
BLK/DKC	24° 4x 10W	FO965202-5DO CL8_24 WW	€ 773,4
WH/BLK/WH	24° 4x 10W	FO96520121DO CL8_24 WW	€ 708,7

HONEYCOMB D50
SQUARE OPTIC LENS
LINEAR SPREAD LENS

BS0298	€ 16,5
BS0383	€ 18,9
BS0384	€ 18,9

ALTERNATIVE LIGHT COLOUR

WARM WHITE	2700K
NEUTRAL WHITE	3000K
COLD WHITE	4000K

REPLACE WW BY

WW
NW
CW






BB10754B CL4NW

pixie
wall / surface mounted

1x LED max350lm 3000k

no flicker

A A⁺ A⁺⁺



WH	5W
GR	5W
POLISH ALU	5W
BLK/GLD	5W

BB10751DO CL4 NW	€ 177,9
BB10753DO CL4 NW	€ 177,9
BB10756DO CL4 NW	€ 189,7
BB10754DO CL4 NW	€ 189,7



SUSPENSION



FO99302B CL8_24WW




FO99301B CL8_24WW



1x CONE COB LED max800lm 2700k



A A+ A++



WH	24° 10W	FO99301DO CL8_24 WW € 333,3
BLK	24° 10W	FO99302DO CL8_24 WW € 333,3
HONEYCOMB D50		BS0298 € 16,5
SQUARE OPTIC LENS		BS0383 € 18,9
LINEAR SPREAD LENS		BS0384 € 18,9

ALTERNATIVE LIGHT COLOUR		REPLACE WW BY	
WARM WHITE	2700K	WW	
NEUTRAL WHITE	3000K	NW	
COLD WHITE	4000K	CW	
DIM TO WARM	2200K-3000K	DW	+ € 25,0

! 15° or 38° or 60° beam angle on request > ref=..._15 or ..._38
or..._60
! DALI dimmable on request




Small steamer suspension

ceiling / suspension

1x CONE COB LED max700lm 2700k



A A+ A++



WH	30° 7W	BB89301DO CL7_30 WW € 323,9
BLK	30° 7W	BB89302DO CL7_30 WW € 323,9
ALTERNATIVE LIGHT COLOUR		REPLACE WW BY
WARM WHITE	2700K	WW
NEUTRAL WHITE	3000K	NW





Utrecht University Restaurant
Puur Interieur Architecten
Photography by Liesbet Goetschalckx


Small steamer suspension

ceiling / suspension

1x COB LED max1500lm 3000k



A A⁺ A⁺⁺



WH	30° 12W	BB99301DO CL12_30 NW € 364,7
BLK	30° 12W	BB99302DO CL12_30 NW € 364,7

CRI	SDCM	SO
90+	< 3	1080lm

HONEYCOMB D70 BS0297 | € 18,9

ALTERNATIVE LIGHT COLOUR

WARM WHITE	2700K
NEUTRAL WHITE	3000K
MEDIUM WHITE	3500K
COLD WHITE	4000K
DIM TO WARM	2200K-3000K

REPLACE NW BY

WW
NW
MW
CW
DW

+ € 25,0



! 15° beam angle on request > ref=..._15

! 10° narrow spot optical lens on request



BB99831D CL20_24NW

Steamer suspension


ceiling / suspension



1x CONE COB LED max2400lm 3000k



A A+ A++



WH	24° 18W	BB99831DO CL20_24 NW	€ 521,3
BLK	24° 18W	BB99832DO CL20_24 NW	€ 521,3

HONEYCOMB D76 BS0296 | € 23,9

ALTERNATIVE LIGHT COLOUR

WARM WHITE	2700K
NEUTRAL WHITE	3000K
MEDIUM WHITE	3500K
COLD WHITE	4000K
DIM TO WARM	2200K-3000K

REPLACE NW BY

WW
NW
MW
CW
DW

+ € 25,0



! 40° beam angle on request > ref= ..._40


! CRI 80+ available on request > change ref BB9... to BB8...

! COB specials on request (CrispWhite, food, ...)

1x COB LED max3500lm 3000k



A A+ A++



WH	24° 30W	BB99831DO CL30_24 NW	€ 524,4
BLK	24° 30W	BB99832DO CL30_24 NW	€ 524,4

ALTERNATIVE LIGHT COLOUR REPLACE NW BY

WARM WHITE	2700K	WW
NEUTRAL WHITE	3000K	NW
MEDIUM WHITE	3500K	MW
COLD WHITE	4000K	CW
DIM TO WARM	2200K-3000K	DW

+ € 25,0



! 17° and 36° beam angles on request > ref= ..._17 or ..._36

! CRI 80+ available on request > change ref BB9... to BB8...

! COB specials on request (CrispWhite, food, ...)



